


()

, . , " "



•  
• ()  
•

() :

- recurrent\_type=first
- recurrent\_type=next

<https://partner.rficb.ru/alba/input/> 1 2 :

	A PI		/
ord er_id	1. 0, 2.0	, 6-20 .	123456 ( 6 )  (order_id) . . . - . - . - , . (CMS) .  : https://partner.rficb.ru/alba/input/? name=Rent_hall&cost=15200&key=Agl% 2FskV/OgsU6ZizcKvXjIIWhNJPyYri9x0J% 2BY9ex6C0%3D&default_email=&order_id =192032  :  1. 3950000001 192032. , . 2. . 3950000002 192032. 3. . !  " order_id XXXXX. XXXXXXXXX", . "" , ""
pay men t_ty pe	1. 0, 2.0	,	spg  spg_test ( )
rec urre nt_t ype	1. 0, 2.0	, :  • «first» – ; • «next» – ; • – .	= "first" : email, order_id, recurrent_comment, recurren t_url, recurrent_period  = "next" : background=1, order_id, recurrent_order_id
rec urre nt_c om ment	1. 0, 2.0		. .
rec urre nt_ url	1. 0, 2.0		: <a href="http://example.com/rules">http://example.com/rules</a>
rec urre nt_ peri od	1. 0, 2.0		: byrequest  recurrent_type=first
che ck	2.0	2.0 – . . 1	version='2.0' service_id.  key .
serv ice_ id	2.0	, 2.0	121233

version	2.0	. API, 1.0. API 1.0.	2.0
check ()	1.0	MD5 : key + cost + name + email + order_id + comment + payment_type + recurrent_comment + recurrent_url + recurrent_type + recurrent_order_id + recurrent_period + secret_key	() . secret_key ( ).

e-mail ().  
 . command=success : recurrent\_order\_id card . . .  
 recurrent\_order\_id .

( )

<https://partner.rficb.ru/alba/input/> :

	API		/
payment_type	1.0, 2.0	.	spg spg_test
recurrent_type	1.0, 2.0	"next", .	"next"
recurrent_order_id	1.0, 2.0	C order_id , order_id . 6-20. recurrent_type=next	123456 ( 6 )
background	1.0, 2.0	,	1
check	2.0	2.0 - . . 1	version='2.0' service_id. key .
service_id	2.0	, 2.0.	121233
version	2.0	. API, 1.0. API 1.0.	2.0
check ()	1.0	() MD5 : key + cost + name + email + order_id + comment + payment_type + recurrent_comment + recurrent_url + recurrent_type + recurrent_order_id + recurrent_period + secret_key	secret_key ( ).

. . . : recurrent\_order\_id card . . .

background=1.

( )

URL: [https://partner.rficb.ru/alba/recurrent\\_change/](https://partner.rficb.ru/alba/recurrent_change/)

	API		/
operation	1.0, 2.0	, "cancel"	
order_id	1.0, 2.0	order_id	
service_id	1.0, 2.0		
check	2.0	2.0 - . . 1	
version	2.0	. API, 1.0. API 1.0.	2.0
check ()	1.0	() MD5 : operation + service_id + order_id + secret_key. secret_key .	

, command=recurrent\_cancel.

, command=recurrent\_expire.

..